

STREAM CORRIDOR RESTORATION - References A-H

- Abbe, T.B., D.R. Montgomery, and C. Petroff. 1997. Design of stable in-channel wood debris structures for bank protection and habitat restoration: an example from the Cowlitz River, WA. In *Proceedings of the Conference on Management of Landscape Disturbed by Channel Incision*, May 19-23.
- Abt, Steven R. 1995. Settlement and submergence adjustments for Parshall flume. *Journal of Irrigation Drainage Engineering* 121(5):317-321. American Society of Civil Engineers, New York.
- Ackers, P., and Charlton. 1970. Meandering geometry arising from varying flows. *Journal of Hydrology* 11(3):230-252.
- Ackers P., and W.R. White. 1973. Sediment transport—new approach and analysis. American Society of Civil Engineers. Proc. Paper 10167. *Journal of the Hydraulics Division*, ASCE 99(HY11):2041-2060.
- Adams, W.J., R.A. Kimerle, and J. W. Barnett, Jr. 1992. Sediment quality and aquatic life assessment. *Environmental Science and Technology*, 26(10): 1864-1875.
- Adamus, P.R.. 1993. Irrigated wetlands of the Colorado Plateau: information synthesis and habitat evaluation method. EPA/600/R-93/071. U.S. Environmental Protection Agency Environmental Research Laboratory, Corvallis, Oregon.
- Aldridge, B.N., and J.M. Garrett. 1973. *Roughness coefficients for stream channels in Arizona*. U.S. Geological Survey Open-File Report. U.S. Geological Survey.
- Allan, J.D. 1995. *Stream ecology—Structure and function of running waters*. Chapman and Hall, New York, New York.
- Allen, E.B. 1995. Mycorrhizal limits to rangeland restoration: soil phosphorus and fungal species composition. In *Proceedings of the Fifth International Rangeland Congress*, Salt Lake City, UT.
- Alonso, C.V., and S.T. Combs. 1980. Channel width adjustment in straight alluvial streams. USDA-ARS:5-31-5-40.
- Alonso, C.V., F.D. Theurer, and D.W. Zachmann. 1996. Sediment Intrusion and Dissolved Oxygen Transport Model—SIDO. Technical Report No. 5, USDA-ARS National Sedimentation Laboratory, Oxford, MS.
- American Public Health Association (APHA). 1995. Standard methods for the examination of water and wastewater. 19th ed. American Public Health Association, Washington, DC.

STREAM CORRIDOR RESTORATION - References A-H

- American Society of Civil Engineers (ASCE). 1997. Guidelines for the retirement of hydroelectric facilities.
- Ames, C.R. 1977. Wildlife conflicts in riparian management. In *Importance, preservation and management of riparian habitat*. USDA Forest Service General Technical Report RM-43. Rocky Mountain Forest and Range Experiment Station. Fort Collins, CO. pp. 39-51.
- Anderson. 1996.
- Anderson, B.W., J. Dissano, D.L. Brooks, and R.D. Ohmart. 1984. Mortality and growth of cottonwood on dredge-spoil. In *California riparian systems*, eds.R.B. Warner and K.M. Hendrix. University of California Press, Berkeley. pp. 438-444.
- Anderson, B.W. and S.A. Laymon. 1988. Creating habitat for the Yellow-billed Cuckoo (*Coccyzus americana*). Proceedings of the California riparian systems conference: protection, management, and restoration for the 1990s, (D.L. Abel, coordinator). USDA Forest Service General Technical Report PSW-110. Pacific Southwest Forest and Range Experiment Station, Berkeley, California. Pages 469-472.
- Anderson, B.W., R.D. Ohmart, and J. Disano. 1978. Revegetating the riparian floodplain for wildlife. Symposium on strategies for protection and management of floodplain wetlands and other riparian ecosystems. USDA Forest Service General Technical Report WO-12, pages 318-331.
- Andrews, E.D. 1980. Effective and bankfull discharges of streams in the Yampa River Basin, Colorado and Wyoming. *Journal of Hydrology* 46:311-330.
- Andrews, E.D. 1982. Bank stability and channel width adjustment, East Fork River, Wyoming. *Water Resources Research* 18(4):1184-1192.
- Andrews. 1983.
- Andrews. 1984.
- Animoto, P.Y. 1978. *Erosion and sediment control handbook*. WPA 440/3-7-003. State of California Department of Conservation, Sacramento.
- Apmann, R.P. 1972. Flow processes in open channel bends. *Journal of the Hydraulics Division*, ASCE 98(HY5):795-810.

STREAM CORRIDOR RESTORATION - References A-H

- Apple, L.L., B.H. Smith, J.D. Dunder, and B.W. Baker. 1985. The use of beavers for riparian/aquatic habitat restoration of cold desert, gully-cut stream systems in southwestern Wyoming. G. Pilleri, ed. *Investigations on beavers*, vol. 4. Brain Anatomy Institute, Berne Switzerland. Pages 123-130.
- Arcement, G.J., Jr., and V.R. Schneider. 1984. *Guide for selecting Manning's roughness coefficients for natural channels and flood plains*. Federal Highway Administration Technical Report No. FHWA-TS-4-204. U.S. Department of Transportation, Federal Highway Administration, Washington, DC.
- Armour, C.L., and J.G. Taylor. 1991. Evaluation of the Instream Flow Incremental Methodology by U.S. Fish and Wildlife Service field users. *Fisheries* 16(5).
- Armour, C.L. and S.C. Williamson. 1988. Guidance for modeling causes and effects in environmental problem solving. U.S.. *Fish and Wildlife Service Biological Report* 89(4). 21pp.
- Arnold, C., P. Boison, and P. Patton. 1982. Sawmill Brook: an example of rapid geomorphic change related to urbanization. *Journal of Geology* 90: 155-166.
- Aronson, J.G., and S.L. Ellis. 1979. Monitoring, maintenance, rehabilitation and enhancement of critical Whooping Crane habitat, Platte River, Nebraska. In *The mitigation symposium: a national workshop on mitigating losses of fish and wildlife habitats*, tech. coord. G.A. Swanson, pp. 168-180. USDA For. Serv. Gen. Tech. Rpt. RM-65. Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO.
- Ashmore, P.E., T.R. Yuzyk, and R. Herrington. 1988. *Bed-material sampling in sand-bed streams*. Environment Canada Report IWD-HQ-WRB-SS-88-4. Sediment Survey Section, Water Resources Branch, Inland Waters Directorate.
- American Society for Testing Materials (ASTM). 1991. Standard methods for the examinations of water and waste water, 18th ed. *American Public Health Association*, Washington, DC.
- Atkins, J.B., and J.L. Pearman. 1994. *Low-flow and flow-duration characteristics of Alabama streams*. U.S. Geological Survey Water-Resources Investigations Report 93-4186. U.S. Geological Survey.
- Averett, R.C., and L.J. Schroder. 1993. *A guide to the design of surface-water-quality studies*. U.S. Geological Survey Open-File Report 93-105. U.S. Geological Survey.

STREAM CORRIDOR RESTORATION - References A-H

- Baird, K.J. and J.P. Rieger. 1988. A restoration design for Least Bell's Vireo habitat in San Diego County. Proceedings of the California riparian systems conference: protection, management, and restoration the 1990s. (D.L. Abell, coordinator). USDA Forest Service General Technical Report PSW-110. Pacific Southwest Forest and Range Experiment Station, Berkeley, California. Pages 462-467.
- Baker, B.W., D.L. Hawksworth, and J.G. Graham. 1992. Wildlife habitat response to riparian restoration on the Douglas Creek watershed. Proceedings of the Fourth Annual Conference, Colorado Riparian Association, Steamboat Springs, Colorado..
- Barinaga, M. 1996. A recipe for river recovery? *Science* 273: 1648-1650.
- Barnes, H. 1967. Roughness characteristics of natural channels. USGS Water Supply paper 1849. U.S. Government Printing Office.
- Barron, R. 1989. Protecting the Charles River corridor. *National Wetlands Newsletter*, May-June:8-10.
- Bartholow, J.M., J.L. Laake, C.B. Stalnaker, S.C. Williamson. 1993. A salmonid population model with emphasis on habitat limitations. *Rivers* 4:265-279.
- Bathurst, J.C. 1985. Literature review of some aspects of gravel-bed rivers. Institute of Hydrology. Wallingford, Oxfordshire, U.K.
- Bayley, P.B. 1995. Understanding large river-floodplain ecosystems. *BioScience* vol. 45 No. 3 March.
- Bayley, P.B., and H.W. Li. 1992. Riverine fishes. In *The rivers handbook*, ed. P. Calow and G.E. Petts, Vol. 1, pp. 251-281. Blackwell Scientific Publications, Oxford.
- Begin, Z.B. 1981. Stream curvature and bank erosion: a model based on the momentum equation. *Journal of Ecology* 89:497-504.
- Behmer, D.J. and C.P. Hawkins. 1986. Effects of overhead canopy on macroinvertebrate production in a Utah stream. *Freshwater Biology* 16(3):287-300.
- Behnke, R.J., and R.F. Raleigh. 1978. Grazing and the riparian zone: Impact and management perspectives. In *Strategies for protection of floodplain wetlands and other riparian ecosystems*, tech. coords. R.R. Johnson and J.F. McCormick, pp. 263-267. USDA Forest Service Gen. Tech. Rep. WO-12.

STREAM CORRIDOR RESTORATION - References A-H

- Belt, G.H., J. O'Laughlin, and T. Merrill. 1992. *Design of forest riparian buffer strips for the protection of water quality: Analysis of scientific literature*. Report No. 8. Idaho Forest, Wildlife and Range Policy Analysis Group, Idaho Forest, Wildlife and Range Experiment Station, Moscow, ID.
- Benke, A.C., T.C. Van Arsdall, Jr., D.M. Gillespie, and F.K. Parrish. 1984. Invertebrate productivity in a subtropical blackwater river: the importance of habitat and life history. *Ecological Monographs* 54:25-63.
- Benson, M.A., and T. Dalrymple. 1967. General field and office procedures for indirect discharge measurements. *Techniques of water-resources investigations of the United States Geological Survey*, Book 3, Chapter A1.
- Beschta, R. 1984. TEMP84: A computer model for predicting stream temperatures resulting from the management of streamside vegetation. Report WSDG-AD-00009, USDA Forest Service, Watershed Systems Development Group, Fort Collins, CO 76 pp.
- Beschta, R.L. Conceptual models of sediment transport in streams. *Sediment Transport in Gravel-Bed Rivers*. John Wiley and Sons, New York. **need a publication date**
- Beschta, R.L., W.S. Platts, J.B. Kauffman, and M.T. Hill. 1994. Artificial stream restoration —money well spent or an expensive failure? In *Proceedings on Environmental Restoration*, Universities Council on Water Resources 1994 Annual Meeting, August 2-5, Big Sky, Montana, pp. 76-104.
- Bettess, R., and W.R. White. 1987. Extremal hypotheses applied to river regime. In *Sediment transport in gravel-bed rivers*, ed. C.R. Thorne, J.C. Bathurst, and R.D. Hey, pp. 767-789. John Wiley and Sons, Inc., Chichester.
- Biedenharn, D.S., C.M. Elliott, and C.C. Watson. 1997. The WES stream investigation and streambank stabilization handbook. Prepared for U.S. Environmental Protection Agency by U.S. Army Corps of Engineers Waterways Experiment Station, Vicksburg, MS.
- Biedenharn, D.S., and C.R. Thorne. 1994. Magnitude-frequency analysis of sediment transport in the Lower Mississippi River. *Regulated Rivers: Research and Management* 9(4):237-251.
- Bio. West. 1995. *Stream Habitat Improvement Evaluation Project*, Logan, UT.

STREAM CORRIDOR RESTORATION - References A-H

- Bisson, R.A., R.E. Bilby, M.D. Bryant, C.A. Dolloff, G.B. Grette, R.A. House, M.J. Murphy, K. V. Koski, and J.R. Sedell. 1987. Large woody debris in forested streams in the Pacific Northwest: past, present, and future. In *Streamside management: forestry and fishery interactions*, ed. E.O. Salo and T.W. Cundy, pp. 143-190. Institute of Forest Resources, University of Washington, Seattle, WA.
- Blench, T. 1957. *Regime behavior of canals and rivers*. Butterworths Scientific Publications, London.
- Blench, T. 1969. Coordination in mobile-bed hydraulics. *Journal of the Hydraulics Division: Proceedings of the ASCE* 95(HY6): 1871-98.
- Bond, C.E. 1979. *Biology of Fishes*. Saunders College Publishing, Philadelphia, PA. 514 pp.
- Booth, D., and C. Jackson. 1997. Urbanization of aquatic systems: degradation thresholds, stormwater detection and the limits of mitigation. *Journal AWRA* 33(5):1077-1089.
- Booth, D., D. Montgomery, and J. Bethel. 1996. Large woody debris in the urban streams of the Pacific Northwest. In *Effects of Watershed Development and Management On Aquatic Systems*, ed. L. Rosner, pp. 178-197. Proceedings of Engineering Foundation Conference, Snowbird, UT, August 4-9.
- Bourassa, N. and A. Morin. 1995. Relationships between size structure of invertebrate assemblages and trophy and substrate composition in streams. *Journal of the North American Benthological Society*. 14:393-403.
- Bovee, K.D. 1982. A guide to stream habitat analysis using the instream flow incremental methodology. Instream Flow Information paper No. 12 FWS/OBS-82-26. U.S. Fish and Wildlife Service Biological Services Program, Fort Collins, CO.
- Bovee, K.D., T.J. Newcomb, and T.J. Coon. 1994. Relations between habitat variability and population dynamics of bass in the Huron River, Michigan. *National Biological Survey Biological Report* 22. 79pp.
- Bowie, G. L., W.B. Mills, D.B. Porcella, C. L. Campbell, J. R. Pagenkopf, G. L. Rupp, K. M. Johnson, P. W. H. Chan, and S. A. Gherini. 1985. Rates, constants, and kinetics formulations in surface water quality modeling. 2nd ed. EPA/600/3-85/040. U.S. Environmental Protection Agency, Environmental Research Laboratory, Athens, Georgia.

STREAM CORRIDOR RESTORATION - References A-H

- Brady W., D.R. Patton, and J. Paxson. 1985. The development of southwestern riparian gallery forests. In *Riparian ecosystems and their management: reconciling conflicting uses*, tech. coords. R.R. Johnson et al., pp. 39-43. USDA For. Serv. Gen. Tech. Rep. RM-120, Rocky Mtn. For. and Range Exp. Stat., Ft. Collins, CO.
- Bramblett, R.G., and K.D. Fausch. 1991. Variable fish communities and the Index of Biotic Integrity in a western Great Plains river. *Transactions of the American Fisheries Society* 120:752-769.
- Brazier, J.R., and G.W. Brown. 1973. Buffer strips for stream temperature control. Research Paper 15, Paper 865. Forest Research Laboratory, School of Forestry, Oregon State University, Corvallis.
- Briggs, J.C. 1986. Introduction to the zoogeography of North American fishes. Pp. 1-16, In *Zoogeography of North American Freshwater Fishes*, ed. C.H. Hocutt and E.O., Wiley. Wiley Interscience, New York.
- Briggs, M.K. 1992. An evaluation of riparian vegetation efforts in Arizona. Unpublished master's thesis, School of Renewable Natural Resources, University of Arizona.
- Briggs, M.K., B.A. Roundy, and W.W. Shaw. 1994. Trial and error—assessing the effectiveness of riparian revegetation in Arizona. *Restoration and Management Notes* 12(2):160-167.
- Brinson, Mark. 1995. The HGM Approach Explained. National Wetlands Newsletter. November December 1995:7-13.
- Brinson, M.M., F.R. Hauer, L.C. Lee, W.L. Nutter, R.D. Rheinhardt, R.D. Smith, and D. Whigham. 1995. *A guidebook for application of hydrogeomorphic assessments to riverine wetlands*. Technical Report WRP-DE-11. U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, MS.
- Brinson, M.M., B.L. Swift, R.C. Plantico, and J.S. Barclay. 1981. *Riparian ecosystems: their ecology and status*. FWS/OBS-81/17. U.S. Fish and Wildlife Service, Office of Biological Services, Washington, DC.
- Brookes, A. 1987a. Restoring the sinuosity of artificially straightened stream channels. *Environmental Geology Water Science* 10(1): 33-41.
- Brookes, A. 1988. *Channelized rivers: perspectives for environmental management*. John Wiley and Sons, Ltd., Chichester.

STREAM CORRIDOR RESTORATION - References A-H

- Brookes, A. 1990. Restoration and enhancement of engineered river channels: some European experiences. *Regulated Rivers: Research & Management* 5(1): 45-56.
- Brookes, A. 1991. Design practices for channels receiving urban runoff: examples from the river Thames catchment, UK. Paper given at Engineering Foundation Conference, Mt. Crested Butte, Colorado, August.
- Brookes, A. 1995. The importance of high flows for riverine environments. In *The ecological basis for river management*, ed. D.M. Harper and A.J.D. Ferguson. John Wiley and Sons, Ltd., Chichester.
- Brooks, R.P., E.D. Bellis, C.S. Keener, M.J. Croonquist, and D.E. Arnold. 1991. A methodology for biological monitoring of cumulative impacts on wetland, stream, and riparian components of watershed. J.A. Kusler and S. Daly eds. Proceedings of an international symposium: Wetlands and River Corridor Management. July 5-9, 1989, Charleston, South Carolina. Pages 387-398.
- Brown, G.W., and J.T. Krygier. 1970. Effects of clear-cutting on stream temperature. *Water Resources Res.* 6:1133-1139.
- Brownlie, W.R. 1981. Prediction of flow depth and sediment discharge in open channels. Report No. KH-R-43A. California Institute of Technology, W.M. Keck Laboratory of Hydraulics and Water Resources, Pasadena, CA.
- Brouha, P. 1997. Good News for U.S. Fisheries. *Fisheries* 22:4.
- Brungs, W.S. and B.R. Jones. 1977. Temperature Criteria for Freshwater Fish: Protocols and Procedures. EPA-600/3-77-061. Environ. Research Lab, Ecological Resource Service, U.S. Environmental Protection Agency, Office of Research and Development, Duluth, MN.
- Brush, T. 1983. Cavity use by secondary cavity-nesting birds and response to manipulations. *Condor* 85:461-466.
- Bryant. 1995.
- Buchanan, T.J., and W.P. Somers. 1969. Discharge measurements at gaging stations. *Techniques of water-resources investigations of the United States Geological Survey*, Book 3, Chapter A8.
- Budd, W.W., P.L. Cohen, P.R. Saunders, and F.R. Steiner. 1987. Stream corridor management in the Pacific Northwest: I. determination of stream corridor widths. *Environmental Management* 11:587-597.

STREAM CORRIDOR RESTORATION - References A-H

- Burrows, W.J., and D.J. Carr. 1969. Effects of flooding the root system of sunflower plants on the cytokinin content in the xylem sap. *Physiologia Plantarum* 22:1105-1112.
- Burton, T.M., and G.E. Likens. 1973. The effect of strip-cutting on stream temperatures in the Hubbard Brook experimental forest, New Hampshire. *BioScience* 23:433-435.
- Call, M.W. 1970. Beaver pond ecology and beaver trout relationships in southeastern Wyoming. Ph.D. Dissertation, University of Wyoming, Laramie.
- Carling, P. 1988. The concept of dominant discharge applied to two gravel-bed streams in relation to channel stability thresholds. *Earth Surface Processes and Landforms* 13:355-67.
- Carothers, S.W. 1979. Distribution and abundance of nongame birds in riparian vegetation in Arizona. Final report to USDA Forest Service, Rocky Mountain Forest and Range Experimental Station, Tempe, AZ.
- Carothers, S.W., and R.R. Johnson. 1971. A summary of the Verde Valley breeding bird survey, 1970. Completion report FW 16-10:46-64. Arizona Game and Fish Department.
- Carothers, S.W., R.R. Johnson, and S.W. Aitchison. 1974. Population structure and social organization of southwestern riparian birds. *American Zoology* 14:97-108.
- Carothers, S.W., G.S. Mills, and R.R. Johnson. 1990. The creation and restoration of riparian habitats in southwestern arid and semi-arid regions. Pages 359-376 in J. A. Kusler and M. E. Kentula, editors. Wetland creation and restoration: the status of the science, vol. 1, regional reviews. Island Press, Covelo, California.
- Carson, M.A., and M.J. Kirkby. 1972. *Hillslope form and process*. Cambridge University Press, London.
- Cavendish, M.G., and M.I. Duncan. 1986. Use of the instream flow incremental methodology: A tool for negotiation. *Environmental Impact Assessment Review* 6:347-363.
- Center for Watershed Protection. 1995. *Watershed protection techniques*, vol. 1, No. 4. Center for Watershed Protection, Silver Spring, MD. Summer.
- Chaney, E., W. Elmore, and W.S. Platts. 1990. Livestock grazing on western riparian areas. U.S. Environmental Protection Agency Region 8.
- Chang, H.H. 1988. *Fluvial processes in river engineering*. John Wiley and Sons, Ltd., New York.
- Chapman, D. W. 1988. Critical review of variables used to define effects of fines in reeds of large salmonids. *Transactions American Fisheries Society* 117:1-21.
- Chapman, R.J., T.M. Hinckley, L.C. Lee, and R.O. Teskey. 1982. Impact of water level changes on woody riparian and wetland communities, Vol. X. Fish and Wildlife Service, FWS/OBS-82/23.

STREAM CORRIDOR RESTORATION - References A-H

- Chen, W.F. 1975. *Limit analysis and soil plasticity*. Elsevier Scientific Publishing Co., New York.
- Chitale, S.V. 1973. Theories and relationships of river channel patterns. *Journal of Hydrology* 19(4): 285-308.
- Chow, V.T. 1959. *Open channel hydraulics*. McGraw-Hill, Inc., New York.
- Chow, V.T., and D.R. Maidment, and L.W. Mays, 1988. *Applied hydrology*. McGraw-Hill, New York.
- Clary, W.P., and B.F. Webster. 1989. Managing grazing of riparian areas in the intermountain region. USDA Forest Service General Technical Report INT-263. Intermountain Research Station, Ogden, UT.
- Colby, B.R. 1964. Practical computations of bed material discharge. *Journal of the Hydraulics Division*, ASCE vol. 90, no. HY2.
- Cole, G.A. 1994. *Textbook of limnology*, 4th ed. Waveland Press, Prospect Heights, IL.
- Cole, D.N., and J.L. Marion. 1988. Recreation impacts in some riparian forests of the eastern United States. *Environmental Management* 12:99-107.
- Collier, R.H. Webb and J.C. Schmidt. 1996. Dams and rivers: A primer on the downstream effects of dams. *U.S. Geological Survey Circular* vol. 1126 (June).
- Collins, T.C. 1976. Population characteristics and habitat relationships of beavers, *Castor canadensis*, in northwest Wyoming. Ph.D. Dissertation, University of Wyoming, Laramie.
- Conroy, S. D., and T. J. Svejcar. 1991. Willow planting success as influenced by site factors and cattle grazing in northeastern California. *Journal of Range Management* 44 (1): 59-63.
- Cooper, A. C. 1965. *The effect of transported stream sediments on survival of sockeye and pink salmon eggs and alevin*. Int. Pac. Salmon Fish. Comm., Bulletin No. 18.
- Cooper, C.M., and S.S. Knight. 1987. Fisheries in man-made pools below grade-control structures and in naturally occurring scour holes of unstable streams. *Journal of Soil and Water Conservation* 42(5): 370-373.
- Copeland, R.R. 1994. *Application of channel stability methods—case studies*. Technical Report HL-94-11, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.
- Coppin, N.J., and I.G. Richards. 1990. Use of vegetation in civil engineering. Construction Industry Research and Information Association (CIRIA), London. ISBN 0-408-03849-7.

STREAM CORRIDOR RESTORATION - References A-H

- Couch, C. 1997. Fish dynamics in urban streams near Atlanta, Georgia. Technical Note 94. *Watershed Protection Techniques* 2(4):511-514.
- Covich. 1993. Water and ecosystems. In *Water in crisis: A guide to the World's Freshwater resources*. P.H. Gleick, (ed.), Oxford University Press, Oxford, United Kingdom.
- Cowan, J. 1959. 'Pre-fab' wire mesh cone gives doves better nest than they can build themselves. *Outdoor California* 20:10-11.
- Cowardin, L.W., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. *Classification of wetlands and deep water habitats of the United States*. U.S. Fish and Wildlife Service, Washington, DC.
- Crawford, J. and D. Lenat. 1989. Effects of land use on water quality and the biota of three streams in the Piedmont Province of North Carolina. U.S. Geological Survey. Water Resources Investigations Report 89-4007. Raleigh, NC.
- Croonquist, M.J., and R.P. Brooks. 1991. Use of avian and mammalian guilds as indicators of cumulative impacts in riparian-wetland areas. *Environmental Management* 15:701-714.
- Cross, S.P. 1985. Responses of small mammals to forest perturbations. Pages 269-275 in R.R. Herman, R.L. and F.P. Meyer. 1990. Fish Kills Due to Natural Causes. IN: F.P. Field Manual for the Investigation of Fish Kills. 1990. F.P. Meyer and L.A. Barcaly (Eds.). United States Department of the Interior, Fish and Wildlife Service, Arlington. VA. 120 pp.
- Cummins, K.W. 1974. The structure and function of stream ecosystems. *BioScience* 24:631-641.
- Darby, S.E., and C.R. Thorne. 1992. Approaches to modelling width adjustment in curved alluvial channels. Working Paper 20, Dept. of Geography, University of Nottingham, UK.
- Darby, S.E., and C.R. Thorne. 1995. Fluvial maintenance operations in managed alluvial rivers. *Aquatic conservation: Marine and freshwater ecosystem* 5:37-54.
- Department of the Interior, Department of Commerce, and Lower Elwha S'Klallam Tribe. 1994. The Elwha report: restoration of the Elwha River ecosystem and native anadromous fisheries. U.S. Government Printing Office 1994-590-269.
- Department of Transportation Hazardous Material Regulations. 40 CFR Parts 171-77.
- Dickason, C. 1988. Improved Estimates of Ground Water Mining Acreage. *Journal of Soil and Water Conservation* 43(1988):239-240.
- Deither, D.P. 1977. Ph.D. thesis, University of Washington, Seattle.
- Dirr, M.A., and C.W. Heuser. 1987. *The reference manual of woody plant propagation*. Varsity Press, Athens, GA

STREAM CORRIDOR RESTORATION - References A-H

- Dolloff, C.A., P.A. Flebbe, and M.D. Owen. 1994. Fish habitat and fish populations in a southern Appalachian watershed before and after Hurricane Hugo." *Transactions of the American Fisheries Society* 123(4):668-678.
- Downs, P.W. 1995. River channel classification for channel management purposes. In *Changing river channels*, ed. A. Gurnell and G. Petts. John Wiley and Sons, Ltd., New York.
- Dramstad, W.E., J.D. Olson and R.T. Gorman. 1996. *Landscape ecology principles in landscape architecture and land-use planning*. Island Press, Washington, DC.
- Dunne, T. 1988. Geomorphologic contributions to flood control planning. In *Flood geomorphology*, pp. 421-438, John Wiley and Sons, Ltd., New York.
- Dunne, T., and L.B. Leopold. 1978. *Water in environmental planning*. W.H. Freeman Co., San Francisco.
- Dury, G.H. 1973. Magnitude-frequency analysis and channel morphology. *Fluvial Geomorphology*, ed. M. Morisaua, pp. 91-121, Allen & Unwin.
- Edminster, F.C., and W.S. Atkinson. 1949. *Streambank erosion control on the Winooski River, Vermont*. USDA Circular No. 837. U.S. Department of Agriculture, Washington, DC.
- Einstein, H.A. 1950. *The bed-load function for sediment transportation in open channel flows*. U.S. Department of Agriculture Technical Bulletin 1026.
- Elmore, W. and R.L. Beschta. 1987. Riparian areas: perceptions in management. *Rangelands* 9:260-265.
- Elmore, W., and J.B. Kauffman. 1994. Riparian and watershed systems: degradation and restoration. In *Ecological implications of livestock herbivory in the West*, ed. M. Vavra, W.A. Laycock, and R.D. Piper, pp 211-232, Society for Range Management, Denver, CO.
- Emmett, W.M. 1975. The channels and waters of the Upper Salmon River Area, Idaho. *USGS Professional Paper* 870-A, Washington, D.C.
- Engelund, F., and E. Hansen. 1967. *A monograph on sediment transport in alluvial streams*. Danish Technical Press (Teknisk Forlag).
- Entry, J.A., P.K. Donnelly, and W.H. Emmingham. 1995. Atrazine and 2,4-D mineralization in relation to microbial biomass in soils of young-, second-, and old-growth riparian forests. *Applied Soil Ecology* 2:77-84.
- Erman, N.A. 1991. Aquatic invertebrates as indicators of biodiversity. Proceedings of a Symposium on

STREAM CORRIDOR RESTORATION - References A-H

- Biodiversity of Northwestern California, Santa Rosa, California. University of California, Berkeley.
- Fan S.S., ed. 1988. Twelve selected computer stream sedimentation models developed in the United States. In *Proceedings of the Interagency Symposium on Computer Stream Sedimentation Models*, Denver, CO, October 1988. Federal Energy Regulatory Commission, Washington, DC.
- Fan, S.S., and B.C. Yen, eds. 1993. *Report on the Second Bilateral Workshop on Understanding Sedimentation Processes and Model Evaluation*, San Francisco, CA, July 1993. Proceedings published by the Federal Energy Regulatory Commission, Washington, DC.
- Fausch, K.D., J.R. Karr, and P.R. Yant. 1984. Regional association of an Index of Biotic Integrity based on stream fish communities. *Transactions of the American Fisheries Society*. 113:39-55.
- Federal Inter-Agency Sedimentation Project. 1986. *Catalog of instruments and reports for fluvial sediment investigations*. Federal Inter-Agency Sedimentation Project, Minneapolis, Minnesota.
- Feminella, J.W., and W.J. Matthews. 1984. Intraspecific differences in thermal tolerance of *Etheostoma spectabile* (Agassiz) in constant versus fluctuating environments. *Journal of Fisheries Biology* 25:455-461.
- Feminella, J. W. and V. H. Resh. 1990. Hydrologic influences, disturbance, and intraspecific competition in a stream caddisfly population. *Ecology* 71(6):2083-2094.
- Fennessey, N.M., and R.M. Vogel. 1990. Regional flow-duration curves for ungaged sites in Massachusetts. *Journal of Water Resources Planning and Management*, ASCE 116 (4): 530-549.
- Federal Energy Regulatory Commission (FERC). 1996. Reservoir release requirements for fish at the New Don Pedro Project, California. Final Environmental Impact Statement, Office of Hydropower Licensing, FERC-EIS-0081F. v.p.
- Ferguson, B.K. 1991. Urban stream reclamation. *Journal of Soil and Water Conservation*, 46(5):324-328.
- Flessner, T.R., D.C. Darris, and S.M. Lambert. 1992. Seed source evaluation of four native riparian shrubs for streambank rehabilitation in the Pacific Northwest. Pages 155-162 in Symposium on ecology and management of riparian shrub communities. USDA Forest Service General Technical Report INT-289.
- Flosi, G., and F.L. Reynolds. 1994. California salmonid stream habitat restoration manual. 2nd ed. California Department of Fish and Game, Sacramento.
- Fogg. 1995.
- Fordham, A.J., and L.S. Spraker. 1977. Propagation manual of selected gymnosperms. *Arnoldia* 37:1-88.

STREAM CORRIDOR RESTORATION - References A-H

- Forman, R.T.T. 1995. *Land mosaics: the ecology of landscapes and regions*. Cambridge University Press, Great Britain.
- Forman, R.T.T., and M. Godron. 1986. *Landscape ecology*. John Wiley and Sons, New York.
- Fortier, S., and F.C. Scobey. 1926. Permissible canal velocities. *Transactions of the ASCE*. 89:940-956.
- Franceska Wilde. 1997. Personal communication.
- Fredrickson, L.H. 1978. Lowland hardwood wetlands: current status and habitat values for wildlife. In *Wetland functions and values: the state of our understanding*, ed. P.E. Greeson, V.R. Clark, and J.E. Clark. American Water Resources Association, Minneapolis, MN.
- Fredrickson, L.H., and T.S. Taylor. 1982. *Management of seasonally flooded impoundments for wildlife*. U.S. Fish and Wildlife Service Resource Publication 148.
- French, R.H. 1985. *Open-channel hydraulics*. McGraw-Hill Publishing Co., New York. Pp. 274-323.
- Fretwell, S.D. and H.L. Lucas. 1970. On territorial behavior and other factors influencing habitat distribution in birds. I. Theoretical development. *Acta Biotheoretica* 19:16-36.
- Friedman, J.M., M.L. Scott, and W.M. Lewis, Jr. 1995. Restoration of riparian forests using irrigation, disturbance, and natural seedfall. *Environmental Management* 19: 547-557.
- Frissell, C.A., W.L. Liss, C.E. Warren, and M.D. Hurley. 1986. A hierarchical framework for stream habitat classification: viewing streams in a watershed context. *Environmental Management* 10:199-214.
- Galli, J. 1991. Thermal impacts associated with urbanization and stormwater best management practices. Metropolitan Washington Council of Governments, Maryland Department of Environment, Washington, DC.
- Garcia de Jalon, D. 1995. Management of physical habitat for fish stocks. Pages 363-374 in D.M. Harper and J.D. Ferguson, editors. *The ecological basis for river management*. John Wiley & Sons, Chichester.
- Garcia, M.H., L. Bittner, and Y. Nino. 1994. *Mathematical modeling of meandering streams in Illinois: a tool for stream management and engineering*. Civil Engineering Studies, Hydraulic Engineering Series No. 43, University of Illinois, Urbana.
- Glasgow, L. and R. Noble. 1971. The importance of bottomland hardwoods to wildlife. Pages 30-43 in *Proceedings of the Symposium on Southeast Hardwoods*, Dothan, AL. U.S. Department of Agriculture, Forest Service.
- Gilbert, R. O. 1987. *Statistical methods for environmental pollution monitoring*. VanNostrand Reinhold, New York, NY.

STREAM CORRIDOR RESTORATION - References A-H

- Goldman, S.J., K. Jackson, and T.A. Bursztynsky. 1986. *Erosion and sediment control handbook*. McGraw Hill Book Company, New York.
- Goldner, B.H. 1984. Riparian restoration efforts associated with structurally modified flood control channels. In *California riparian systems*, ed. R.B. Warner and K.M. Hendrix, pp. 445-451. University of California Press, Berkeley.
- Gomez, B. and M. Church. 1989. An assessment of bedload transport formulae for gravel bed rivers. *Water Resources Research*, 25(6): 1161-1186.
- Gordon, N.D., T.A. McMahon, and B.L. Finlayson. 1992. *Stream hydrology: an introduction for ecologists*. John Wiley & Sons, Chichester. 526 pp.
- Gosselink, J.G., G.P. Shaffer, L.L. Lee, D.M. Burdick, D.L. Childres, N.C. Leibowitz, S.C. Hamilton, R. Boumans, D. Cushman, S. Fields, M. Koch, and J.M. Visser. 1990. Landscape conservation in a forested watershed: can we manage cumulative impacts? *BioScience* 40(8):588-600.
- Grant, G.E., F.J. Swanson, and M.G. Wolman. 1990. Pattern and origin of stepped-bed morphology in high-gradient streams, Western Cascades, Oregon. *Geological Survey of America Bulletin* 102:340-352.
- Gregory, K., R. Davis and P. Downs. 1992. Identification of river channel change due to urbanization. *Applied Geography* 12:299-318.
- Gregory, S.V., F.J. Swanson, W.A. McKee, and K.W. Cummins. 1991. An ecosystem perspective on riparian zones. *Bioscience* 41:540-551.
- Griffiths, G.A. 1981. Stable-channel design in gravel-bed rivers. *Journal of Hydrology* 52(3/4):291-305.
- Grissinger, E.H., W.C. Little, and J.B. Murphey. 1981. Erodibility of streambank materials of low cohesion. *Transactions of the American Society of Agricultural Engineers* 24(3):624-630.
- Guy and Norman. 1982. *Techniques for water-resource investigations, field measures for measurement of fluvial sediment*. USGS.
- Haan, C.T., B.J. Barfield, and J.C. Hayes. 1994. *Design hydrology and sedimentation for small catchments*. Academic Press, San Diego.
- Hackney, C.T., S.M. Adams, and W.H. Martin, eds. 1992. *Biodiversity of the southeastern United states: aquatic communities*. John Wiley and Sons, New York.
- Haferkamp, M.R., R.F. Miller, and F.A. Sneva. 1985. Seeding rangelands with a land imprinter and

STREAM CORRIDOR RESTORATION - References A-H

- rangeland drill in the Palouse Prairie and sagebrush-bunchgrass zone. In proceedings of Vegetative Rehabilitation and Equipment Workshop, U.S. Forest Service, 39th Annual Report, Salt Lake City, UT, Pp. 19-22.
- Hagerty. 1991.
- Hammit, W.E., and D.N. Cole. 1987. *Wildland recreation: ecology and management*. John Wiley and Sons, New York.
- Handy, R.L., and J.S. Fox. 1967. A soil borehole direct-shear test device. *Highway Research News* 27:42-51.
- Hansen, P.L., R.D. Pfister, K. Boggs, B.J. Cook, J. Joy, and D.K. Hinckley. 1995. Classification and management of Montana's riparian and wetland sites. Montana Forest and Conservation Experiment Station, School of Forestry, University of Montana. Miscellaneous Publication No. 54. Missoula. 646 pp.
- Harrelson, C.C., C.L. Rawlins, and J.P. Potyondy. 1994. Stream channel reference sites: An illustrated guide to field technique. General Report No. RM-245. U.S. Department of Agriculture, Forest Service, Fort Collins, CO.
- Harris, L.D. 1984. *The fragmented forest*. University of Chicago Press, Chicago, IL.
- Hartmann, H. and D.E. Kester. 1983. *Plant propagation: principles and practice*. Prentice-Hall, Englewood Cliffs, NJ.
- Hartman, G., J.C. Scrivener, L.B. Holtby, and L. Powell. 1987. Some effects of different streamside treatments on physical conditions and fish population processes in Carnation Creek, a coastal rain forest stream in British Columbia. In *Streamside management: forestry and fishery interactions*. ed. E.O. Salo and T.W. Cundy, pp. 330-372. Inst. of Forest Resources, University of Washington, Seattle.
- Harvey, M.D., and C.C. Watson. 1986. Fluvial processes and morphological thresholds in incised channel restoration. *Water Resources Bulletin* (3):359-368.
- Hasfurther, V.R. 1985. The use of meander parameters in restoring hydrologic balance to reclaimed stream beds. In *The restoration of rivers and streams: theories and experience*, ed. J.A. Gore. Butterworth Publishers, Boston.
- HEC. 1991.
- Heiner, B.A. 1991. Hydraulic analysis and modeling of fish habitat structures. *American Fisheries Society Symposium* 10:78-87.

STREAM CORRIDOR RESTORATION - References A-H

- Helwig, P.C. 1987. Canal design by armoring process. In *Sediment transport in gravel-bed rivers*, ed. C.R. Thorne, J.C. Bathurst, and R.D. Hey. John Wiley and Sons, Ltd., New York.
- Hemphill, R.W., and M.E. Bramley 1989. *Protection of river and canal banks*. Construction Industry Research and Information Association/Butterworths, London.
- Henderson, F.M. 1966. *Open channel flow*. The Macmillan Company, New York.
- Henderson, J.E. 1986. Environmental designs for streambank protection projects. *Water Resources Bulletin* 22(4):549-558.
- Hey, R.D. 1975. Design discharge for natural channels. In *Science, Technology and Environmental Management*, ed. R.D. Hey and T.D. Davies, pp. 73-88. Saxxon House Farnborough.
- Hey, R.D. 1976. Geometry of river meanders. *Nature*. 262:482-484.
- Hey, R.D. 1988. Mathematical models of channel morphology. In *Modeling geomorphological systems*, ed. M.G. Anderson, pp. 99-126. John Wiley and Sons, Chichester
- Hey, R.D. 1990. Design of flood alleviation schemes: Engineering and the environment. School of Environmental Sciences, University of East Anglia, Norwich, United Kingdom.
- Hey, R.D. 1994. Restoration of gravel-bed rivers: principles and practice. In *"Natural" channel design: perspectives and practice*. ed. D. Shrubsole, pp. 157-173. Canadian Water Resources Association, Cambridge, Ontario.
- Hey, R.D. 1995. River processes and management. In *Environmental science for environmental management*. ed. T. O'Riordan, pp. 131-150. Longman Group Limited, Essex, U.K. and John Wiley, New York.
- Hey, R.D., and C.R. Thorne. 1986. Stable channels with mobile gravel beds. *Journal of Hydraulic Engineering* 112(8):671-689.
- Hey, personal communication.
- Higginson, N.N.J., and H.T. Johnston. 1989. Riffle-pool formations in northern Ireland rivers. In *Proceedings of the International Conference on Channel Flow and Catchment Runoff*, pp. 638-647.
- Hilsenhoff. 1988.
- Hoag, J.C. 1992. Planting techniques from the Aberdeen, ID, plant materials center for vegetating shorelines

STREAM CORRIDOR RESTORATION - References A-H

- and riparian areas. Pages 163-166 in Symposium on ecology and management of riparian shrub communities. USDA Forest Service General Technical Report INT-289.
- Hocutt, C.H. 1981. Fish as indicators of biological integrity. *Fisheries* 6(6):28-31.
- Hoffman, C.H., and B.D. Winter. 1996. Restoring aquatic environments: a case study of the Elwha River. In *National parks and protected areas: their role in environmental protection*, ed. R.G. Wright, pp. 303-323. Blackwell Science, Cambridge.
- Hollis, F. 1975. The effects of urbanization on floods of different recurrence intervals. *Water Resources Research* 11:431-435.
- Holly, M.F. Jr., J.C. Yang, P. Schwarz, J. Schaefer, S.H. Su, and R. Einhellung. 1990. CHARIMA - Numerical simulation of unsteady water and sediment movement in multiply connected network of mobile-bed channels. IIHR Report No. 343. Iowa Institute of Hydraulic Research, The University of Iowa, Iowa City.
- Holmes, N. 1991. *Post-project appraisal of conservation enhancements of flood defense works*. Research and Development Report 285/1/A. National Rivers Authority, Reading, UK.
- Hoover, R.L. and D.L. Wills, eds. 1984. Managing forested lands for wildlife. Colorado Division of Wildlife, Denver. 459pp.
- Horton, R.E. 1933. The role of infiltration in the hydrologic cycle. *EOS, American Geophysical Union Transactions*. 14: 446-460.
- Horton, R.E. 1945. Erosional development of streams and their drainage basins: hydrophysical approach to quantitative morphology. *Geological Society of America Bulletin* 56: 275-370.
- Horwitz, R.J. 1978. Temporal variability patterns and the distributional patterns of stream fishes. *Ecology Monographs*. 48:301-321.
- Horwitz, A.J., Demas, C.R. Fitzgerald, K.K. Miller, T.L., and Rickert, D.A. 1994. U.S. Geological Survey protocol for the collection and processing of surface-water samples for the subsequent determination of inorganic constituents in filtered water: *U.S. Geological Survey open-file report 94-539*, 57 p.
- Howard. 1967. Drainage analysis in geologic interpretation: a summation. *Bulletin of the American Association of Petroleum Geologists* 51:2246-59.

STREAM CORRIDOR RESTORATION - References A-H

- Hunt, G.T. 1993. Concerns over air pollution prompt more controls on construction. *Engineering News-Record*, pp. E-57 to E-58.
- Hunt, W.A., and R.O. Graham. 1975. Evaluation of channel changes for fish habitat. ASCE National Convention meeting reprint (2535).
- Huryn, A.D., and J.B. Wallace. 1987. Local geomorphology as a determinant of macrofaunal production in a mountain stream. *Ecology* 68:1932-1942.
- Hutchison, N.E. 1975. *WATSTORE User's Guide - National Water Data Storage and Retrieval System*. Vol. 1. U.S. Geological Survey Open-File Report 75-426.
- Hydrology Subcommittee of the Interagency Advisory Committee on Water Data (IACWD). 1982. Bulletin 17B.
- Hynes, H.B.N. 1970. *The ecology of running waters*. University of Liverpool Press, Liverpool, England.